

Volz Gruppe GmbH Gartenstrasse 6 78586 Deilingen

DNV Maritime
Office Augsburg
Augsburger Straße 9
D – 86157 Augsburg

Tel: +49 (0)821 34387 0 Fax:+49 (0)821 34387 21

eMail: cmc.approval.germany@dnv.com

Date: Our reference: Your reference:

2024-02-05 DT / A1433452 263985

Interim Confirmation

Dear Mr. Gerstenecker.
It is herewith confirmed that

Volz Gruppe GmbH Gartenstrasse 6 78586 Deilingen

have applied for the renewal of type approval certificate Nos.:

TAP000018E

The process is still ongoing, but an approval is recommended and to be expected.

Yours faithfully

for DNV SE

ich Lystz Thäsler

Manager Product Certification

Team South Germany, Austria & Switzerland



Certificate No: **TAP00018E**

TYPE APPROVAL CERTIFICATE

This is to certify:

That the Pipe Couplings, Bite and Compression Type

with type designation(s)

Cutting ring fittings, standpipe connections, 24° swivel connectors, bulkhead couplings, straight reducers, male connectors, weld connectors, diagnostic equipment and blanking plugs

Issued to

Volz Gruppe GmbH Deilingen, Germany

is found to comply with

DNV GL rules for classification – Ships Pt.4 Ch.6 Piping systems
DNV GL class programme DNVGL-CP-0185 – Type approval – Mechanical joints

Application:

Product(s) approved by this certificate is/are accepted for installation on all vessels classed

by DNV GL.

Temperature range: Up to +250°C. Refer to certificate. Max. working press.: Up to 800bar. Refer to certificate.

Sizes: 4mm up to 42mm

Issued at Hamburg on 2019-01-07

This Certificate is valid until **2024-01-06**. for **DNV GL**

DNV GL local station: Augsburg

Approval Engineer: Andrii Pishchanskyi

Olaf Drews Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.



Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 1 of 5

Product description

Cutting ring fittings and 24° swivel connectors according to DIN 2353 / ISO 8434-1.

Cutting rings

- SDR metallic sealing, single edge cutting ring –24° cone end as per DIN 3861;
- PDR metallic sealing, double edge cutting ring –24° cone end as per DIN 3861.

Fittings

This type approval includes the fittings as specified in the Volz Carbon Steel Catalogue "Tube Fittings and Accessories" edition 08/2014. The following couplings are excluded from the certificate:

Designation	Coupling type
ASKV	Straight weld coupling for tubes
SKA	Straight weld nipple for tubes
GMA 3	Straight test point connector
VKA 3	Test point
EMA 3	Test point
MAV - MA 3	Test point pressure gauge connector
SMA 3	Measuring hose

Materials

Component	Material designation	Standard/Specification
Pipe coupling, nut and cutting ring	C15 (1.0401) non alloy steel C22 (1.0402) non alloy steel C35 (1.0501) non alloy steel C45 (1.0503) non alloy steel 11SMnPb30 (1.0718) non alloy steel C10C (1.0214) non alloy steel	DIN EN 10277-2, DIN 3859 DIN EN 10277-3, DIN 3859

Application/Limitation

The couplings are type approved for application in pipe class I, II and III piping systems, as specified in DNVGL RU-SHIP Pt.4 Ch.6 Sec.9 Table 11 and 12 for compression couplings of fire resistant type.

For selection of the minimum wall thickness for pipes refer to DNVGL RU-SHIP Pt.4 Ch.6 Sec. 9 Tables 3 and 4. Requirements on material certificates are defined in Section 2, Table 3.

Pipe Couplings, Bite and Compression Type are not approved for installation in high pressure fuel injection systems of combustion engines.

Bulkhead connections (type GSV and WSV) are not approved for penetration through tank walls, fire divisions, watertight deck and bulkheads.

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 2 of 5

Nominal working pressure (PN)1,2

Product line	Tube OD (mm)	Pressure (bar)
LL	4 - 8	100
	6 - 10	500
L	12 - 18	400
	22 – 42	250
	6 - 10	800
S	12 - 16	630
	20 - 38	420

Notes

At elevated temperatures, the maximum pressures are to be reduced according to following:

Temperature, [°C]	≥-20 and ≤120	150	200	250
Pressure reduction [-]	1	0.89	0.81	0.72

Temperature range depends on pressurised component and sealing ring materials:

Material	Temperature range
Non-alloy steel	≥ -20°C¹ and ≤ +250°C
FPM	-25°C up to +200°C
NBR	-30°C up to +100°C
PTFE	-60°C up to +100°C

Footnote

Selection of materials

It shall be noted that the selection of the materials considers the applicable service conditions with respect to type of media, flow velocity, media temperature etc. and installation area of the piping system. In particular, the resistance to corrosion, erosion, oxidation and other deterioration during projected service life are to be considered. Refer to DNVGL Rules Pt.4, Ch.6 – Section 2 – Materials.

The couplings are not approved for gases having an oxygen content exceeding 25% as per DNVGL-CP-0185 Sec.5, 8.

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 3 of 5

¹ Individual nominal pressures of the fittings in accordance to Volz Carbon Steel Catalogue "Tube Fittings and Accessories", edition 08/2014 has to be observed.

² Max working pressure depends on pipe material and thickness.

¹ Environmental temperature is down to -40°C.

Pipe couplings with pressure-tight joint on a thread

Pipe coupling where pressure-tight joints are made on the threads with parallel or tapered threads are not approved for piping systems conveying toxic or flammable media or services where fatigue, severe erosion or crevice corrosion is expected to occur as per DNVGL RU-SHIP Pt.4 Ch.6 Sec.9 5.2.6. Pipe coupling is limited to the following applications solely:

- 1. CO₂ systems inside of protected spaces and CO₂ cylinder rooms;
- 2. Threaded joints for direct connectors of pipe lengths with tapered thread shall be allowed for:
 - a. Class I, outside diameter not more than 33.7 mm;
 - b. Class II and class III;
- 3. Threaded joints with parallel thread shall be allowed for class III.

An overview of threaded pipe couplings with limitations due pressure-tight joint on a thread is as follows:

Designation	Coupling type
EGV - NPT	Straight standpipe connector
GAIV - NPT	Straight female connector
GEV – R/M – keg. GEV – NPT	Male stud connector
LEV – R/M – keg. LEV – NPT	Male stud barrel tee
MAV - NPT	Pressure gauge connector
MAEV - NPT	Pressure gauge connector standpipe
TEV – R/M – keg. TEV – NPT	Male stub branch tee
WEV – R/M – keg. WEV – NPT	Male stud elbow
RI RI – WD	Straight reducer

Type Approval documentation

Tests carried out

Tightness test, Burst pressure test, Vacuum test, Pull-out test, Repeated assembly test, Combined vibration and pressure pulsation test, Fire resistance test

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 4 of 5

Marking of product

For traceability to this type approval, each coupling is at least to be marked with:

Element	Marking scope	Example
Coupling	Manufacturer sign	and/or MF
Nut	Manufacturer sign	or MP or neutral
Cutting ring	Manufacturer sign	JS or or moutral

Periodical assessment

A condition for retention of the TA certificate in its validity period is that periodical assessments are successfully carried out. Periodical assessments for type approval is required after two years (+/- 90 days) and after 3.5 years (+/- 90 days). The objective of the periodical assessment is to verify that the conditions for the TA have not been altered. Main scope of the assessment:

- verification of the production and quality control system;
- · review of quality control documentation of recent deliveries;
- review of drawings in production to verify any design changes which may have an impact on data specified in the type approval certificate, performance and range of application;
- verification of the product marking;
- witness of burst testing on selected sizes from production.

In connection with the renewal assessment, burst pressure tests on test assemblies are to be carried out in the presence of the DNV GL surveyor. The test assemblies shall consist of two pieces of pipe couplings connected with a metallic tube. Selection of joint sizes and quantity of test assemblies is to be determined prior to the assessment. At least one of the test assemblies is to be manufactured in the presence of the surveyor according to the manufacturers specification.

Form code: TA 251 Revision: 2016-12 www.dnvgl.com Page 5 of 5