Type Approval Certificate GL



This is to certify that the undernoted product(s) has/have been tested in accordance with the relevant requirements of the GL Type Approval System.

Certificate No.

60 160 - 09 HH

Company

Volz Gruppe GmbH

Gartenstraße 6

78586 Deilingen, GERMANY

Product Description

PIPE UNIONS WITH CUTTING RINGS

Type

According to product layout catalog of the manufacturer

(see page 2)

Environmental Category

None

Technical Data / Range of Application

TECHNICAL DATA

Material

Fitting body, cutting ring

and nut:

Carbon Steel: CI5, C22, St.37-0, St37-2 and 9SMnPb28K

acc.to DIN 3859-1 table 2 or higher grades

Pipes:

Carbon Steel: E235 (St. 37.4NBK) acc.to DIN EN 10305-4

pipe tolerances acc.to EN 10 305-4

RANGE OF APPLICATION

The pipe unions are type approved for the following range of application:

- Piping systems on board ships

- Piping systems on off-shore units and on-shore installations

- Piping systems in machinery installations

Regarding sizes, nominal pressures refer to page 3.

Test Standard

Regulations for the Performance of Type Tests on Mechanical Components and

Equipment, Part D.10 of Germanischer Lloyd. IACS UR P2.11: 2001

Documents

- Salzgittter Mannesmann Forschung, Test report No. F608012

- Auditbericht DIN EN ISO 9001: 2008 and DIN EN ISO 14001: 2009

- DNVGL-Ref.No.: 14-011578

Remarks

TECHNICAL DATA see page 2 and RANGE OF APPLICATION see page 3.

Valid until

2019-04-01

Page

1 of 3

File No.

II.C.05

Hamburg, 2014-04-16

Type Approval Symbol

GL

Germanischer Lloyd

Hanspeter Raschle

A. P. Gustan Peter Gierhan

This certificate is issued on the basis of "Guidelines for the Performance of Type Approvals Part 1, Procedure".

Type Approval Certificate GL



This is to certify that the undernoted product(s) has/have been tested in accordance with the relevant requirements of the GL Type Approval System.

Certificate No.

60 160 - 09 HH

TECHNICAL DATA

ESV	Welding bulkhead
W-V	Equal elbow
GS-V	Threaded bulkhead
T-V	Equal tee
G-V	Straight coupling
WS-V	Bulkhead elbow
K-V	Equal cross
WE-V	Male stud elbow
GE-V	Male stud straight
TE-V	Male stud branch tee
LE-V	Male stud barrel tee
TR-V	Male stud branch tee
EG-V	Standpipe adaptor
EW-V	Standpipe adaptor
ET-V	Standpipe adaptor
EL-V	Standpipe adaptor
MA-V	Manometer coupling
MA-EV	Adjustable manometer coupling
MA-VD	Adjustable manometer coupling
EW-VD	Adjustable W-coupling
ET- VD	Adjustable T-coupling
EL- VD	Adjustable L-coupling
EG- VD	Standpipe adaptor
KOR-V	Standpipe adaptor
RED-V	Reducing standpipe
GAS- V	Straight welding coupling
GAI- V	Straight female adaptor
GR-V	Straight reducing
ETH-V	Adjustable T -swivel
EWH- V	Adjustable W-swivel
GDVV	Swivel coupling

Valid until 2019-04-01

Page 2 of 3

II.C.05 File No.

Hamburg, 2014-04-16

Type Approval Symbol

Germanischer Lloyd

Hanspeter Raschle

i.A.P. Gurlan Peter Giernan

This certificate is issued on the basis of "Guidelines for the Performance of Type Approvals Part 1, Procedure".

Type Approval Certificate



This is to certify that the undernoted product(s) has/have been tested in accordance with the relevant requirements of the GL Type Approval System.

Certificate No.

60 160 - 09 HH

GEDVV DGWSV DGWESV Swivel coupling Swivel coupling Swivel coupling

RANGE OF APPLICATION

Pressure Range:

L (Light gauge) Pipe O.D Nominal Pressure [mm] [PN]
6 - 18 315
22 - 42 250

S (Heavy gauge) 6 - 14 630
16 - 38 420

Temperature range [°C]: -35 up to +200

- The nominal pressure ratings PN represent the max. allowable working pressure inclusive of pressure peaks.
- Pressure ratings, pressure reductions and permissible operating temperatures are to be in accordance with the instructions of the manufacturer.
- For service temperatures above 50°C the reduction in pressure specified by the manufacturer is to be observed.
- The above mentioned compression couplings are type approved as compression coupling for the use in piping systems according the Rules I-1-2 Machinery Installations, Section 11, Table 11.13 / 11.14, compression coupling, bite type, fire resistant.
- The selection of the compression couplings for the corresponding service and the right installation are to be in accordance with the instructions of the manufacturer.

Valid until 2019-04-01

Page

3 of 3

File No.

II.C.05

Hamburg, 2014-04-16

Type Approval Symbol

GL

Germanischer Lloyd

Hanspeter Raschle

Peter Gierhan

This certificate is issued on the basis of "Guidelines for the Performance of Type Approvals Part 1, Procedure".